

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	2015	257/773.ccls.	US-PGPUB; USPAT; USOCR
2	BRS	L2	1624	257/786.ccls.	US-PGPUB; USPAT; USOCR
3	BRS	L3	2611	257/778.ccls.	US-PGPUB; USPAT; USOCR
4	BRS	L4	1920	257/737.ccls.	US-PGPUB; USPAT; USOCR
5	BRS	L5	3576	Chip adj scale adj package	US-PGPUB; USPAT; USOCR
6	BRS	L6	21	L1 and resin and (wiring or conducting) and first adj (electrode or terminal)	US-PGPUB; USPAT; USOCR
7	BRS	L7	5318	"21" and resin and (wiring or conducting) and first adj (electrode or terminal)	US-PGPUB; USPAT; USOCR
8	BRS	L8	36	L2 and resin and (wiring or conducting) and first adj (electrode or terminal)	US-PGPUB; USPAT; USOCR
9	BRS	L9	80	L3 and resin and (wiring or conducting) and first adj (electrode or terminal)	US-PGPUB; USPAT; USOCR
10	BRS	L10	69	L4 and resin and (wiring or conducting) and first adj (electrode or terminal)	US-PGPUB; USPAT; USOCR
11	BRS	L12	0	L8 and active adj (region or circuit)	US-PGPUB; USPAT; USOCR

	Type	L #	Hits	Search Text	DBs
12	BRS	L14	0	L10 and active adj (region or circuit)	US-PGPUB; USPAT; USOCR
13	BRS	L13	2	L9 and active adj (region or circuit)	US-PGPUB; USPAT; USOCR
14	BRS	L11	3	L6 and active adj (region or circuit)	US-PGPUB; USPAT; USOCR
15	BRS	L15	449	257/773.ccls.	EPO; JPO; DERWENT; IBM_TDB
16	BRS	L16	356	257/786.ccls.	EPO; JPO; DERWENT; IBM_TDB
17	BRS	L17	235	257/737.ccls.	EPO; JPO; DERWENT; IBM_TDB
18	BRS	L18	1487	438/108.ccls.	US-PGPUB; USPAT; USOCR
19	BRS	L19	230	438/611.ccls.	US-PGPUB; USPAT; USOCR
20	BRS	L20	1443	438/613.ccls.	US-PGPUB; USPAT; USOCR
21	BRS	L21	807	438/614.ccls.	US-PGPUB; USPAT; USOCR
22	BRS	L22	67	L18 and active adj (region or circuit)	US-PGPUB; USPAT; USOCR

	Type	L #	Hits	Search Text	DBs
23	BRS	L24	0	L19 and resin and (wiring or conducting) and first adj (electrode or terminal) and active	US-PGPUB; USPAT; USOCR
24	BRS	L26	3	L21 and resin and (wiring or conducting) and first adj (electrode or terminal) and active	US-PGPUB; USPAT; USOCR
25	BRS	L25	8	L20 and resin and (wiring or conducting) and first adj (electrode or terminal) and active	US-PGPUB; USPAT; USOCR
26	BRS	L23	14	L18 and resin and (wiring or conducting) and first adj (electrode or terminal) and active	US-PGPUB; USPAT; USOCR
27	BRS	L27	0	((bump or ball or external) and resin and area and (wiring or conducting) and (active adj region) and first adj (electrode or terminal)).clm.	US-PGPUB
28	BRS	L28	0	((bump or ball or external) and resin and area and (wiring or conducting) and (active adj circuit) and first adj (electrode or terminal)).clm.	US-PGPUB
29	BRS	L29	36	((bump or ball or external) and resin and area and (wiring or conducting) and first adj (electrode or terminal)).clm.	US-PGPUB